

L Number	Hits	Search Text	DB	Time stamp
1	968	(711/202).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2003/11/09 14:19
2	320	(711/209).CCLS.	US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2003/11/09 14:19
3	613	(711/206).CCLS.	US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2003/11/09 14:19
4	651	(711/105).CCLS.	US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2003/11/09 14:19
5	343	(711/108).CCLS.	US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	2003/11/09 14:19
6	9031	travers\$3 with (trie or array branch\$2 or node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/09 14:20
7	15	((711/202).CCLS.) and (travers\$3 with (trie or array branch\$2 or node\$1))	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/09 14:20
8	3	((711/209).CCLS.) and (travers\$3 with (trie or array branch\$2 or node\$1))	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/09 14:21
9	4	((711/206).CCLS.) and (travers\$3 with (trie or array branch\$2 or node\$1))	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/09 14:21
10	10	((711/105).CCLS.) and (travers\$3 with (trie or array branch\$2 or node\$1))	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/09 14:21
11	8	((711/108).CCLS.) and (travers\$3 with (trie or array branch\$2 or node\$1))	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/09 14:21
-	32123	trie	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/22 09:24
-	316	(711/209).CCLS.	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/20 14:58
-	0	("001and2").PN.	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/20 14:58

-	9016	address adj translat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 14:58
-	737	multi-dimensional adj array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:53
-	38	(multi-dimensional adj array) with index	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:26
-	14	(address adj translat\$3) and (multi-dimensional adj array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:33
-	0	traverse with (multi-dimensional adj array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:39
-	1948	traverse with array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:40
-	1538	traverse near10 array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:02
-	37	traverse near10 trie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:09
-	2271	(711/?).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:47
-	90	((711/?).CCLS.) and trie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:51
-	8	trie adj branches	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:53
-	5	(multi-dimensional adj array) with cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:59
-	1315	determin\$3 with location with cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:00
-	2	(multi-dimensional adj array) and (determin\$3 with location with cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:01

-	1440	travers\$3 with translat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 09:39
-	6	(travers\$3 near5 array) with translat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 09:40
-	171	translat\$3 near10 (cache adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 09:45
-	121	traversa\$3 near5 array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 09:45
-	0	(translat\$3 near10 (cache adj address)) and (traversa\$3 near5 array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 09:45
-	16835	translat\$3 near10 address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 09:46
-	5	(traversa\$3 near5 array) and (translat\$3 near10 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 09:49
-	579	trie same cach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 10:32
-	31	(trie same cach\$3) same translat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 10:37
-	0	(trie near5 leaf) near10 cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 10:39
-	1	(trie with leaf) with cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 10:50
-	16	leaf with identif\$3 with cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 12:46
-	0	("traversenear5trie").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 12:56
-	27	traverse near5 trie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/22 13:12

-	5	travers\$3 same (identif\$3 near5 cache near5 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 15:38
-	0	(cache adj address) same (trie adj leaf)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 15:39
-	8	(cache adj address) same trie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 15:40
-	9	(travers\$3 near10 trie) with address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 15:49
-	0	(travers\$3 near10 trie) with cach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:13
-	5	trie with (cache adj address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:19
-	8	(trie near5 search) with cach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:29
-	6	identify\$3 adj cache adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:32
-	0	(identify\$3 near5 cache near5 address) with trie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:32
-	31	(cache near5 address) with trie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:37
-	0	(trie adj leaves) with (cache near5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:38
-	0	(trie adj (leaves or node)) with (cache near5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:38
-	0	(trie adj (leaves or node)) same (cache near5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:38
-	1	(trie near5 (leaves or node)) same (cache near5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:39

-	8	((trie or array) near5 (leaves or node)) same (cache near5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:44
-	4	(trie near5 search) same (cache near5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/22 16:46
-	475	trie same map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:35
-	24	trie same map\$4 same cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:39
-	146	(trie nea5 search) same (map\$4 near10 cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:39
-	44	(trie nea5 search) with (map\$4 near10 cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:43
-	85	(trie nea5 (leaf or node)) with (map\$4 near10 cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:49
-	3418	(trie nea5 branch\$2) with (cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:51
-	49	(trie nea5 branch\$2) with (cache adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:52
-	0	(trie adj branch\$2) with (cache adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:52
-	0	(trie near2 branch\$2) with (cache adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:52
-	0	(trie near2 node) with (cache adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 08:54
-	6	(trie near2 (branch\$2 or leaf or node)) with (index near5 array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 09:24
-	117	determin\$3 near5 (cache adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 09:30

-	0	(trie near2 (branch\$2 or leaf or node)) and (determin\$3 near5 (cache adj address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:36
-	1859	travers\$3 near5 array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:31
-	0	(determin\$3 near5 (cache adj address)) and (travers\$3 near5 array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:31
-	0	(travers\$3 near5 array) same (cache adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:31
-	1	(travers\$3 near5 array) same (cache near5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:35
-	86	storage adj address adj (translat\$3 or map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:37
-	0	(travers\$3 near5 array) and (storage adj address adj (translat\$3 or map\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:35
-	0	(trie near2 (branch\$2 or leaf or node)) and (storage adj address adj (translat\$3 or map\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:36
-	0	(trie near5 (branch\$2 or leaf or node)) and (storage adj address adj (translat\$3 or map\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:36
-	0	(trie with (branch\$2 or leaf or node)) and (storage adj address adj (translat\$3 or map\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:36
-	14353	address adj (translat\$3 or map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 09:37
-	25	(travers\$3 near5 array) and (address adj (translat\$3 or map\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 15:40
-	68	travers\$3 near5 trie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 15:53
-	0	(travers\$3 near5 trie) with cach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 15:53

-	4	(travers\$3 near5 (array or trie)) with cach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 15:55
-	1927	(travers\$3 near5 (array or trie))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 15:55
-	7	(travers\$3 near5 (array or trie)) same cach\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 16:01
-	8	(travers\$3 near5 (first adj address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 16:04
-	102	(address near5 (translat\$3 or map\$4)) with (travers\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 16:05
-	2	(address near5 (translat\$3 or map\$4)) with (travers\$3) with cach\$3	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 16:06
-	0	(address near5 (translat\$3 or map\$4)) with (trie near5 leaf)	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 16:06
-	0	(address near5 (translat\$3 or map\$4)) with (trie near5 (node or branch or leaf))	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 16:07
-	6	(address near5 (translat\$3 or map\$4)) same (trie near5 (node or branch or leaf))	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 16:07
-	12	(index near5 array) with (trie)	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/23 16:14
-	70	travers\$3 near5 trie	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/04 14:13
-	96	index near5 trie	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/04 14:14
-	28	(index near5 trie) same (trie near5 (branch\$2 or leaf or node\$1))	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/04 14:14